



Garage Granite™


Decorative Flake Flooring System



Garage Granite™ is a one-of-a-kind garage floor finish specially designed for homeowners wanting to give their dull, dirty garages a new lease of life.

Available in 8 popular colour combinations, the completely seamless resin flooring system is stain-resistant, incredibly tough, and will keep your garage looking great for years.

Most importantly, Garage Granite™ has no strong smell and contains no solvents or flammables, so it can be installed safely without risk or disruption to your family or business.



Why you'll love Garage Granite™:

✓ SAFER

Garage Granite™ is completely solvent free. No strong smell, disruption or risk to your family!

✓ MORE DURABLE

Garage Granite™ uses exclusive industrial-grade resin technology, so you won't find it at your local hardware store (or anywhere else).

✓ EASY TO CHOOSE

Too many colour options can be overwhelming. We've narrowed it down to 8 we know look good and match well with modern homes.

✓ EASY TO CLEAN


The stain-resistant surface handles spills from all common household chemicals and is easily maintained with normal cleaning equipment.

✓ EXTRA OPTIONS

Take your pick of gloss or semi-gloss finishes. If you're worried about slips and falls in the wet, you can even get added slip resistance.



Installation - how it works



Note - The installation process shown is typical for the standard Garage Granite™ system on concrete floors less than 40m². Removal of existing floors, surface damage/contamination, application of a primer coat, and/or larger areas will generally require more time.

Getting ready for your new floor


- 1. Plan to be floorless** - a standard Garage Granite™ floor will take three days and you'll need to stay off the floor the entire time. Keep protective measures in place for the duration and don't try to get back on it earlier than instructed.
- 2. Clear the floor** - remove all items from the garage before the starting date so the flooring technician can get straight to work. If there are heavy items that can't be moved, let them know beforehand.
- 3. Ensure easy access** - make sure the flooring technician can get in and out of the work area and has access to power. If there are any restrictions in this regard, once again it's a good idea to let them know beforehand.
- 4. Seal off** - footprints, bugs and dust don't go well with freshly laid floors. Close all windows, turn off lights and block doorways. If the floor is one part of a larger project, it's best to leave it to last to reduce the risk of other trades damaging it.
- 5. Make yourself available** - checking in with your flooring technician every now and again will make sure everyone stays on the same page and the project progresses as smoothly as possible.



Garage Granite™ Colour Chart



Baltic



Platinum




Ash



Gunmetal



Ironbark



Pebble Beach



Tuscany



Chestnut

***Colours shown on chart are indicative only. Actual colours may differ slightly.**