Coatings just got easier.

Safety Data Sheet

Date of Issue: September 26
(Supersedes September 21)

Pigment Pot

Section 1: Identification of the substance/mixture and of the supplier

Product Name: Ezypoly Pigment pot.
Product Use: Stir-in pigment for one-pack, moisture-cured polyurethane (Ezypoly).
Pack Size: ~ 500g.

Company: Real World Epoxies Pty Ltd
Address: U19/10 Miltiadis Street
Acacia Ridge
QLD 4110

Emergency Phone: 0408 877 256

Section 2: Hazards Identification

GHS Classification:
Skin Corrosion/Irritation: 1b.
Chronic Aquatic Toxicant: 3

GHS Label:



Signal Word: Warning

Precautionary Statements:
Hazards:
H317 - May cause an allergic skin reaction.
H412: Harmful to aquatic life with long lasting effects.

Prevention:
P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking
P233+403 Store in well ventilated places. Keep container tighly closed
P261 - Avoid breathing dust/fumes/gas/mist/vapours/spray
P273- Avoid release to the environment
P280 - Wear protective gloves/eye protection/face protection.

Response:
P303 + P353 + P361 - IF ON SKIN: Immediately take off all contaminated clothing. Rince skin with shower/water.
P304 +340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312: Call a POISON Center or doctor if feeling unwell.
P313 + P333 - If skin or rash occurs: Get medical advice/attention.
P313 + P337 - If eye irritation persists: Get medical advice/attention.
P370 +378 In case of fire: use dry sand, dy chemical of alcohol resistant for for extinction.
P501:Dispose of contents/containers to hazardous or special collection point, in accordance with local regulation.

Section 3: Composition/information on ingredients

INGREDIENT	CAS NUMBER	PROPORTION %
Aspartic Acid	136210-30-5	40-60
The remaining products are non hazardous		to 100

Section 4: First-aid measures

Ingestion:	Rinse mouth, then drink plenty of water. Do not induce vomiting. Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.
Inhalation:	Remove the source of contamination or move the victim to fresh air. Ensure airways are clear and have qualified person give oxygen through a face mask if breathing is difficult. If symptoms develop and persist seek medical attention.
Skin Contact:	Remove material from skin immediately by washing with soap and plenty of water. Remove contaminated clothing and shoes while washing. Seek medical attention if irritation persists. Wash clothing before reuse. Discard items which cannot be decontaminated, including leather articles such as shoes, belts and watchbands.
Eye Contact:	If contact with the eye(s) occurs, wash with copious amounts of water holding eyelid(s) open remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. Take care not to rinse contaminated water into the non-affected eye. If symptoms persist seek medical attention, preferably an ophthalmologist. Suitable emergency eye wash facilities should be available in the work area.
Advice to Doctor:	Treat symptomatically.
Other:	For advice, contact a Poisons Information Center, e.g. Australia 131 126.

Section 5: Fire-fighting measures

Suitable Extinguishing Equipment:	Carbon Dioxide, dry chemical or foam.
Hazards Arising from Chemical:	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out. Combustible liquid; May burn but does not ignite readily. Containers may explode when heated. Fire may produce irritating, toxic and/or corrosive fumes, including Carbon monoxide and carbon dioxide.
Protective Equipment for Firefighters:	Full protective clothing and self-contained breathing apparatus required.

Section 6: Accidental release measures

Personal Precautions:	Wear protective equipment. Clear the area. Keep unprotected persons away. Ensure adequate ventilation. Warn occupants of downwind areas of possible fire and explosion hazard.
Environmental Precautions:	Do not allow to enter sewers or drainage. Construct a dike with absorbent, liquid-binding material to prevent spreading. Advise authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation.
Methods for Clean Up:	Absorb with earth, sand or other non-combustible material and transfer to suitable, closed containers for disposal.

Section 7: Handling and storage

Handling:	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapours and contact with eyes, skin and clothing. Do not ingest. Combustible liquid: Keep away from heat and sources of ignition - No smoking.
Storage:	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Protect from moisture/humidity. Keep away from heat and sources of ignition - No smoking. Keep away from foodstuffs and incompatible materials.

Section 8: Exposure controls and personal protection

Exposure Standards:	No specific exposure standards are available for this product. Derived no-effect levels (DNELs) for workers:
Engineering Controls:	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection:	Where ventilation is inadequate the use of an Air Purifying Respirator with a replaceable organic vapour filter complying with AS/NZS 1715 and AS/NZS 1716 is recommended. Safety glasses with side shields, goggles or full-face shield as appropriate recommended. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337. Wear gloves of impervious material such as impervious PVC or rubber gloves. Reference should be made to AS/NZS 2161.1. Suitable work wear should be worn to protect personal clothing. Industrial clothing should conform to the specifications detailed in AS/NZS 2919.

Section 9: Physical and chemical properties

Appearance:	Pigmented paste.		
Packaging:	500ml plastic container with press fit lid.		
Odour:	Negligible.	Odour Threshold:	Not determined.
pH:	Not determined.	Melting/Freezing Point:	<-2°C.
Initial Boiling Point:	N/A.	Boiling Point Range:	Not determined.
Flashpoint:	100°C.	Evaporation Rate:	Not determined.
Flammability:	Not determined.	Flammability Limits:	Not determined.
Vapour Pressure:	Not determined.	Vapour Density:	Not determined.
Relative Density:	1.0 - 1.8kg/L.	Solubility in Water:	Immiscible.
Partition Co-efficient:	Not determined.	Auto ignition Temp:	N/A.
Decomposition Temp.:	Not determined.	Viscosity:	Not determined.

Section 10: Stability and reactivity

Possibility of Hazardous Reactions:	Product is stable under normal storage conditions. Vapours may form explosive mixture with air
Conditions to Avoid:	Keep away from heat and sources of ignition.
Incompatible Materials:	Incompatible/reactive with strong oxidising agents.
Hazardous Decomposition Products:	Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including Carbon monoxide and carbon dioxide.

Section 11: Toxicological information

Acute Toxicity:	Oral LD50: Rat: > 2,000mg/kg. Dermal TCLo: Rat: > 2,000mg/kg.
Skin Corrosion/Irritation:	slight skin irrition.
Eye Damage/Irritation:	Causes slight eye irritation.
Respiratory or Skin Sensitisation:	May cause skin sensitising.
Carcinogenicity:	Not a carcinogen [OECD 451].
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
STOT (single exposure):	Based on available data, the classification criteria are not met.
STOT (repeated exposure):	Based on available data, the classification criteria are not met.
Aspiration Hazard:	No applicable toxicity data.

Section 12: Ecological information

Toxicity:	Acute aquatic toxicity: - LC50, Fish (Danio rerio (Zebra fish)): 66 mg/L (96 h) - EC50, Crustacea (Daphnia magna (Big water flea)): 88.6 mg/L (48 h) - EC50, Algae (Desmodesmus subspicatus (Green algae)): 113 mg/L (72 h). - NOEC, Eisenia fetida (Earth worms): 1,000 mg/L (14 days)
Effects activate sludge:	- EC50: 3,110mg/L (3hrs)
Persistence and Degradability:	- 13%, 28 days ie not readily degradable.
Stability in water :	- 655 hours at 25C
Bioaccumulative Potential:	- Bioconcentration factor: 1.872. This substance hydrolyses rapidly in water. Ac accumulation in aquatic organ sims is not to be expected. Partition coefficient (n-octanol/water) log P(o/w) ca. 5.16 at 20 °C.
Mobility in Soil:	Adsorbption/Soil log Koc value 4.2 - 5.1 (EU Method C19)

Section 13: Disposal considerations

Disposal Methods:	Comply with local, state and federal laws and regulations. Avoid releasing dust.

Section 14: Transport information

ADG
Not classified as a dangerous good.

IATA
Not classified as a dangerous good.

IMDG
Not classified as a dangerous good.

Section 15: Regulatory information

General Information:	No Data Available.
Poisons Schedule (Aust):	Not Scheduled.
Australia (AICS):	Listed.

Section 16: Other relevant information

Technical Services Information Officer: 0408 877 256

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, Real World Epoxies Pty Ltd. assumes no liability for the accuracy and completeness of the information contained herein. Final determination of suitability of this material is the sole responsibility of the user. All materials present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.